




INTEGRATED TRANSFER
SOLUTIONS PTY LTD

TODO[®]
A Gardner Denver Product

Fuel Nozzles



*Better by
Design*

TODO® Fuel Nozzles

The TODO® fuel delivery nozzles are specifically designed to deliver high volumes with total security.

Rugged cast aluminium alloy body, high strength swivel and robust handle all help this nozzle to offer reliable long term performance.



Features

- All models are available with or without anti drain valves.
- Handle automatically locks when in closed position.
- Threaded sight glass as option.
- High flow and easy to handle.
- Ballsealings in PTFE (Teflon®) as standard.
- TODO-SNAP log nut equipped on request.

Technical Details

Sizes: 1½" (DN 40).

Materials: Aluminium alloy.

Seals: PTFE (Teflon®), Fluorelastomer.

Working pressure: PN 10.

Test pressure: PN 15.

Safety factor: 5:1

Outlet connections: Male / female thread, Kamlock, TW, TODO-SNAP lug nut or Spout.

Inlet connections: Male / female 1½" or 2".

Teflon® is registered trademarks of DuPont Performance Elastomers.

Certificates / Approvals

- TDT approval, mark TDT-UW-30/09 towards ADR/RID in Poland.
- Manufactured under EN ISO 9001:2000.
- Certified towards ISO 14001:2004 and OHSAS 18001:2007.

Fuel Nozzles Range



TW fuel nozzle



Male/male fuel nozzle



Male/female fuel nozzle

Specials / Accessories



TODO-SNAP lug nut
with 45° bend



Sight glass



Dust plug



Hook spanner



TODO-SNAP
lug nut



Outlet with
extra long
swiveling
lug nut



Spout



Lug nut tool